

| TYRE SIZE      | WHEEL - RIM | SNOW DRIVER |    | PEWAG |    |      |     |      | SUPER Z |     |
|----------------|-------------|-------------|----|-------|----|------|-----|------|---------|-----|
|                |             | KN          | RV | XMR   | RS | SNOX | RSV | XMRV |         | SZ  |
| 155/80-165/70- | 10          |             |    | 56    |    |      |     |      |         |     |
|                |             |             |    | 56    |    |      |     |      |         |     |
| 125/80-        | 12          |             |    | 56    |    |      |     |      |         |     |
| 135/80-        |             |             |    | 56    |    |      |     |      |         |     |
| 145/70-        |             |             |    | 56    |    |      |     |      |         |     |
| 145/80-        |             |             |    | 58    |    |      |     |      |         |     |
| 155/70-        |             |             |    | 58    |    |      |     |      |         |     |
| 155/80-        |             |             | 30 |       | 59 |      |     |      |         |     |
| 155-12         |             |             | 30 |       |    |      |     |      |         |     |
| 165/60-        |             |             |    |       | 58 |      |     |      |         |     |
| 165/70-        |             |             | 30 |       | 59 |      |     |      |         |     |
| 175/70-        |             |             | 30 |       | 60 |      |     |      |         |     |
| 5.6/6.0        |             |             | 30 |       |    |      |     |      |         |     |
| 7.00-12        |             |             | 30 |       |    |      |     |      |         | 129 |
| 135/70-        | 13          |             |    | 56    |    |      |     |      |         |     |
| 135/80-        |             |             |    | 58    |    |      |     |      |         |     |
| 145/60-        |             |             |    | 56    |    |      |     |      |         |     |
| 145/65-        |             |             |    | 58    |    |      |     |      |         |     |
| 145/70-        |             |             |    | 58    |    |      |     |      |         |     |
| 145/80-        |             |             | 30 |       | 59 |      |     |      |         |     |
| 145-13         |             |             | 30 |       |    |      |     |      |         |     |
| 155/60-        |             |             |    |       | 58 |      |     |      |         |     |
| 155/65-        |             |             |    |       | 58 |      |     |      |         |     |
| 155/70-        |             |             | 30 |       | 59 |      |     |      |         |     |
| 155/80-        |             |             | 40 |       | 60 |      | 500 |      |         |     |
| 155-13         |             |             | 40 |       |    |      |     |      |         |     |
| 165/55-        |             |             |    |       | 59 |      |     |      |         |     |
| 165/60-        |             |             |    |       | 59 |      |     |      |         |     |
| 165/65-        |             |             | 30 |       | 59 |      |     |      |         |     |
| 165/70-        |             |             | 40 |       | 60 |      | 500 |      |         |     |
| 165/80-        |             |             | 50 |       | 62 |      | 505 |      |         | 119 |
| 165-13         |             |             | 50 |       |    |      |     |      |         | 119 |
| 170-13         |             |             | 50 |       |    |      |     |      |         |     |
| 175/50-        |             |             |    |       | 58 |      |     |      |         |     |
| 175/60-        |             |             | 30 |       | 59 |      |     |      |         |     |
| 175/65-        |             |             | 40 |       | 60 |      | 500 |      |         |     |
| 175/70-        |             |             | 50 |       | 62 |      | 505 |      |         |     |
| 175/75-        |             |             | 60 |       |    |      |     |      |         | 119 |
| 175/80-        |             |             | 60 |       | 64 | 64   | 520 |      |         | 119 |
| 175-13         |             |             | 60 |       |    |      |     |      |         | 123 |
| 185/55-        |             |             | 30 |       |    |      | 500 |      |         |     |
| 185/60-        |             |             | 40 |       | 60 |      | 500 |      |         |     |
| 185/65-        |             |             | 50 |       | 62 |      | 505 |      |         |     |
| 185/70-        |             |             | 60 |       | 64 | 64   | 510 |      |         | 119 |
| 185/75-        |             |             | 60 |       | 64 |      | 520 |      |         | 123 |
| 185/80-        |             |             | 70 |       | 67 | 67   | 530 | 67   |         | 123 |
| 185-13         |             |             | 70 |       |    |      |     |      |         | 123 |
| 195/50-        |             |             | 40 |       | 59 |      | 500 |      |         |     |
| 195/55-        |             |             | 40 |       | 60 |      | 505 |      |         |     |
| 195/60-        |             |             | 50 |       |    |      | 510 |      |         |     |
| 195/65-        |             | 60          |    | 64    | 64 | 520  |     |      | 119     |     |
| 195/70-        |             | 70          |    | 67    | 67 | 530  | 67  |      | 123     |     |
| 195/75-        |             | 80          |    |       | 68 | 530  | 68  |      | 123     |     |
| 195-13         |             | 80          |    |       |    |      |     |      | 129     |     |
| 205/60-        |             | 60          |    | 64    | 64 | 510  |     |      | 119     |     |
| 205/65-        |             | 70          |    |       | 67 | 530  | 67  |      |         |     |
| 205/70-        |             | 80          |    | 69    | 68 | 530  | 68  |      | 127     |     |
| 215/60-        |             | 70          |    |       |    |      |     |      | 123     |     |
| 235/60-        |             | 80          |    |       |    |      |     |      | 127     |     |
| 5.6/5.9        |             | 50          |    |       |    |      |     |      |         |     |
| 6.00-13        |             | 70          |    |       |    |      |     |      | 119     |     |
| 6.40-13        |             | 60          |    |       |    |      |     |      | 119     |     |
| 135/80-        | 14          | 30          |    | 59    |    |      |     |      |         |     |
| 135-14         |             | 30          |    |       |    |      |     |      |         |     |
| 145/70-        |             | 30          |    |       |    |      |     |      |         |     |

| TYRE SIZE | WHEEL - RIM | SNOW DRIVER |     | PEWAG |    |      |     |      | SUPER Z |     |
|-----------|-------------|-------------|-----|-------|----|------|-----|------|---------|-----|
|           |             | KN          | RV  | XMR   | RS | SNOX | RSV | XMRV |         | SZ  |
| 145/80-   | 14          | 40          |     | 60    |    | 500  |     |      |         |     |
| 145-14    |             | 40          |     |       |    |      |     |      |         |     |
| 155/60-   |             | 30          |     |       |    |      |     |      |         |     |
| 155/65-   |             | 30          |     |       | 59 |      |     |      |         |     |
| 155/70-   |             | 40          |     |       | 60 |      | 500 |      |         |     |
| 155/80-   |             | 50          |     |       | 62 |      | 505 |      |         |     |
| 155-14    |             | 50          |     |       |    |      |     |      |         | 119 |
| 165/60-   |             | 30          |     |       | 60 |      | 500 |      |         |     |
| 165/65-   |             | 40          |     |       | 60 |      | 500 |      |         |     |
| 165/70-   |             | 50          |     |       | 62 |      | 505 |      |         |     |
| 165/75-   |             | 60          |     |       | 64 |      | 510 |      |         | 119 |
| 165/80-   |             | 60          |     |       | 64 | 64   | 520 |      |         | 119 |
| 165-14    |             | 60          |     |       |    |      |     |      |         | 119 |
| 175/50-   |             | 30          |     |       |    |      | 500 |      |         |     |
| 175/60-   |             | 45          |     |       | 62 |      | 505 |      |         |     |
| 175/65-   |             | 50          |     |       | 62 |      | 505 |      |         | 119 |
| 175/70-   |             | 50          |     |       | 64 | 64   | 510 |      |         | 119 |
| 175/75-   |             | 70          |     |       | 64 | 64   | 520 |      |         | 119 |
| 175/80-   |             | 70          |     |       |    | 68   | 530 | 68   |         | 123 |
| 175-14    |             | 70          |     |       |    |      |     |      |         | 123 |
| 185/50-   |             | 40          |     |       |    |      | 500 |      |         |     |
| 185/55-   |             | 45          |     |       | 60 |      | 505 |      |         |     |
| 185/60-   |             | 50          |     |       | 62 |      | 510 |      |         | 119 |
| 185/65-   |             | 60          |     |       | 64 | 64   | 510 |      |         | 119 |
| 185/70-   |             | 65          |     |       | 67 | 67   | 530 | 67   |         | 123 |
| 185/75-   |             | 70          | 210 |       |    | 68   | 530 | 68   | 69      | 123 |
| 185/80-   |             | 80          | 210 |       | 69 | 69   |     | 69   | 69      | 131 |
| 185-14    |             | 80          | 210 |       |    |      |     |      |         | 131 |
| 190/60-   |             | 60          |     |       |    |      |     |      |         |     |
| 195/55-   |             | 50          |     |       | 64 |      | 510 |      |         | 119 |
| 195/60-   |             | 60          |     |       | 64 | 64   | 520 |      |         | 119 |
| 195/65-   |             | 70          |     |       | 67 | 67   | 530 | 67   |         | 123 |
| 195/70-   |             | 80          | 210 |       | 69 | 68   | 530 | 68   |         | 127 |
| 195/75-   |             | 90          | 220 |       |    |      |     | 69   | 69      | 129 |
| 195/80-   |             | 90          |     |       | 73 | 74   | 550 | 74   | 73      | 131 |
| 195-14    |             | 90          | 220 |       |    |      |     |      |         | 129 |
| 205/50-   | 60          |             |     |       |    | 510  |     |      | 119     |     |
| 205/55-   | 65          |             |     | 67    | 64 | 520  |     |      | 123     |     |
| 205/60-   | 70          |             |     | 67    | 67 | 530  | 67  |      | 123     |     |
| 205/65-   | 80          | 210         |     | 69    | 68 | 530  | 68  |      | 127     |     |
| 205/70-   | 90          | 220         |     | 73    | 73 |      | 73  | 69   | 129     |     |
| 205/75-   | 90          | 225         |     |       |    |      | 74  | 73   | 131     |     |
| 205/80-   | 100         |             |     | 75    | 75 |      | 75  | 75   |         |     |
| 205-14    | 100         | 225         |     |       |    |      |     |      | 135     |     |
| 215/50-   | 70          |             |     |       |    |      |     |      | 123     |     |
| 215/55-   | 80          |             |     |       |    |      |     |      | 123     |     |
| 215/60-   | 90          |             |     | 69    | 69 | 530  | 69  |      | 123     |     |
| 215/65-   | 95          | 210         |     | 73    | 73 |      | 73  |      | 131     |     |
| 215/70-   | 100         | 220         |     | 75    | 74 |      | 74  |      | 135     |     |
| 215/75-   | 100         | 230         |     |       | 75 |      | 75  | 75   | 135     |     |
| 215/80-   | 100         |             |     | 75    | 76 |      | 76  | 75   |         |     |
| 215-14    | 100         | 230         |     |       |    |      |     |      | 143     |     |
| 225/50-   |             |             |     |       |    |      |     |      | 123     |     |
| 225/55-   | 90          |             |     | 69    | 69 |      | 69  |      | 127     |     |
| 225/60-   | 90          |             |     | 73    | 73 |      | 73  |      | 127     |     |
| 225/70-   | 100         |             |     | 75    | 75 |      | 75  | 77   | 135     |     |
| 225/75-   | 100         | 225         |     | 75    | 76 |      | 76  | 75   | 139     |     |
| 225/80-   | 110         |             |     |       | 77 |      | 77  | 77   |         |     |
| 235/60-   | 95          |             |     | 73    | 74 |      | 74  |      | 137     |     |
| 235/70-   | 100         |             |     | 77    |    | 570  |     | 77   | 139     |     |
| 245/50-   |             |             |     |       |    |      |     |      | 127     |     |
| 245/60-   |             | 225         |     | 75    | 75 |      | 75  |      | 135     |     |
| 255/50-   |             |             |     |       |    |      |     |      | 131     |     |
| 255/60-   |             |             |     | 77    | 76 | 570  | 76  |      | 143     |     |
| 265/50-   |             |             |     |       |    |      |     |      | 135     |     |
| 265/60-   |             |             |     | 77    | 77 |      | 77  | 77   | 143     |     |
| 27x8.5-   |             |             |     |       |    |      |     | *75  | 135     |     |
| 5.2/5.6   |             | 50          |     |       |    |      |     |      |         |     |

| TYRE SIZE | WHEEL - RIM | SNOW DRIVER |     | PEWAG |       |      |     |      | SUPER N |
|-----------|-------------|-------------|-----|-------|-------|------|-----|------|---------|
|           |             | KN          | RV  | XMR   | RS    | SNOX | RSV | XMRV |         |
| 6.00-14   | 14          | 90          |     |       |       |      |     |      | 131     |
| 6.50-14   |             | 100         |     |       |       |      |     |      |         |
| 6.70-14   |             |             | 220 |       |       |      |     |      |         |
| 7.00-14   |             |             | 210 |       |       |      |     | 69   | 131     |
| 7.50-14   |             |             | 230 |       |       |      |     | 69   | 135     |
| 125/80-   | 15          |             |     | 60    |       |      |     |      |         |
| 125-15    |             | 40          |     |       |       |      |     |      |         |
| 135/70-   |             | 30          |     |       |       |      |     |      |         |
| 135/80-   |             | 40          |     | 62    |       | 500  |     |      |         |
| 135-15    |             | 40          |     |       |       |      |     |      |         |
| 145-15    |             | 50          |     |       |       |      |     |      | 119     |
| 145/65-   |             |             |     | 60    |       | 500  |     |      |         |
| 145/80-   |             |             |     | 62    |       | 505  |     |      |         |
| 155/60-   |             |             |     |       |       | 500  |     |      |         |
| 155/65-   |             | 45          |     | 62    |       | 500  |     |      |         |
| 155/70-   |             | 50          |     | 62    |       | 505  |     |      |         |
| 155/80-   |             | 60          |     | 64    | 64    | 520  |     |      | 119     |
| 155-15    |             | 60          |     |       |       |      |     |      | 119     |
| 165/50-   |             | 30          |     | 59    |       |      |     |      |         |
| 165/60-   |             |             |     |       |       | 505  |     |      |         |
| 165/65-   |             |             |     | 62    |       | 510  |     |      | 119     |
| 165/70-   |             | 60          |     | 64    | 64    |      |     |      | 119     |
| 165/80-   |             |             |     | 67    | 67    | 530  | 67  |      | 123     |
| 165-15    |             | 210         |     |       |       |      |     |      | 123     |
| 170/60-   |             | 50          |     |       |       |      |     |      |         |
| 175/55-   |             | 50          |     | 62    |       | 505  |     |      |         |
| 175/60-   |             | 60          |     |       |       | 510  |     |      | 119     |
| 175/65-   |             | 60          |     | 64    | 64    | 520  |     |      | 119     |
| 175/70-   |             | 70          |     | 67    | 67    | 520  | 67  |      | 123     |
| 175/80-   |             | 80          | 210 | 69    | 69    |      | 69  | 69   | 129     |
| 175-15    |             | 80          |     |       |       |      |     |      | 131     |
| 185/50-   |             |             |     | 62    |       | 505  |     |      |         |
| 185/55-   |             | 60          |     | 64    | 64    | 510  |     |      | 119     |
| 185/60-   |             | 65          |     | 64    | 64    | 520  |     |      | 123     |
| 185/65-   |             | 70          |     |       | 67    | 530  | 67  |      | 123     |
| 185/70-   |             | 80          |     | 69    | 68    | 530  | 68  | 69   | 123     |
| 185/75-   |             |             |     |       |       |      |     |      | 131     |
| 185/80-   |             |             |     | 73    | 73    |      | 73  | 73   |         |
| 185-15    |             | 90          | 220 |       |       |      |     |      | 131     |
| 195/50-   |             | 60          |     | 64    | 64    | 510  |     |      | 119     |
| 195/55-   |             | 65          |     |       | 64    | 520  |     |      | 123     |
| 195/60-   |             | 70          |     | 67    | 67    | 530  | 67  |      | 127     |
| 195/65-   |             | 70          |     | 69    | 69    |      | 69  | 69   | 129     |
| 195/70-   |             | 90          | 220 | 70    | 73    |      | 73  | 69   | 131     |
| 195/75-   |             | 95          | 225 |       | 74    | 550  | 74  | 73   | 131     |
| 195/80-   |             |             | 225 |       | 75    |      | 75  | 74   | 135     |
| 195-15    |             | 100         | 225 |       |       |      |     |      | 135     |
| 205/45-   |             |             |     |       |       |      |     |      | 119     |
| 205/50-   |             | 65          |     | 67    | 64    | 520  |     |      | 123     |
| 205/55-   |             | 80          |     | 67    | 68    | 530  | 68  |      | 127     |
| 205/60-   | 80          |             | 69  | 69    |       | 69   | 69  | 131  |         |
| 205/65-   | 80          | 220         | 70  | 73    |       | 73   | 73  | 131  |         |
| 205/70-   | 95          | 225         | 74  | 74    | 550   | 74   | 74  | 133  |         |
| 205/75-   | 100         | 225         |     | 75    |       | 75   | 75  | 133  |         |
| 205/80-   |             | 230         | 75  | 76    |       | 76   | 75  |      |         |
| 205-15    |             |             |     |       |       |      |     | 135  |         |
| 215/45-   | 70          |             |     | 64    | 520   |      |     | 123  |         |
| 215/50-   | 130         | 245         |     |       | 580   | 79   | 79  | 143  |         |
| 215/55-   |             | 245         | 79  | 79    | 580   | 79   | 79  | 429  |         |
| 215/60-   |             | 247         |     |       |       |      |     |      |         |
| 215/65-   |             |             |     |       |       |      |     | 131  |         |
| 215/70-   | 130         | 235         | 77  | 76    | 570pv | 76   | 77  | 139  |         |
| 215/75-   |             |             |     |       |       |      |     | 143  |         |
| 215/80-   |             |             |     | 79    |       | 79   | 79  | 143  |         |
| 215-15    |             |             |     |       |       |      |     | 429  |         |
| 225/45-   | 100         |             |     |       |       |      |     |      |         |
| 225/50-   |             |             |     |       |       |      |     | 135  |         |

| TYRE SIZE | WHEEL - RIM | SNOW DRIVER |     | PEWAG |     |      |     |      | SUPER N |
|-----------|-------------|-------------|-----|-------|-----|------|-----|------|---------|
|           |             | KN          | RV  | XMR   | RS  | SNOX | RSV | XMRV |         |
| 225/55-   | 15          |             | 240 | 77    | 77  | 580  | 77  | 77   | 143     |
| 225/60-   |             |             |     |       |     |      |     |      | 143     |
| 225/65-   |             |             | 247 |       |     | 580  | 80  | 80   | 435     |
| 225/70-   |             |             | 255 |       |     |      | 81  | 81   | 447     |
| 225/75-   |             |             |     |       |     |      | 81A | 81   |         |
| 225/80-   |             |             |     |       | 76  | 570p | 76  |      | 139     |
| 235/55-   |             |             | 247 |       |     |      |     |      | 429     |
| 235/60-   |             |             | 250 |       |     | 590  | 80A | 81   | 435     |
| 235/65-   |             |             | 255 |       |     |      | 81A | 81   | 441     |
| 235/70-   |             |             |     |       | 77  |      | 77  |      | 139     |
| 235/75-   |             |             | 247 |       |     |      |     |      |         |
| 235/80-   |             |             |     |       |     | 590  | 80  | 80   | 435     |
| 245/50-   |             |             |     |       |     |      |     | 81   |         |
| 245/60-   |             |             |     |       |     |      | 81A | 81   |         |
| 245/65-   |             | 247         |     |       |     |      |     |      |         |
| 245/70-   |             |             |     |       |     |      |     |      | 447     |
| 245/75-   |             | 247         |     |       |     |      |     |      | 139     |
| 255/45-   |             |             |     |       |     |      |     |      | 451     |
| 255/50-   |             |             |     |       |     |      |     |      | 468     |
| 255/60-   |             |             |     |       |     |      |     |      | 451     |
| 255/65-   |             |             |     |       |     |      |     |      | 480     |
| 255/70-   |             |             | 210 |       |     |      |     |      |         |
| 255/75-   |             |             | 230 |       |     |      |     | 75   | 143     |
| 255/80-   |             |             | 240 |       | 77  |      | 77  | 77   | 143     |
| 265/50-   |             |             | 247 |       |     |      | 80  | 79   | 435     |
| 265/65-   |             |             | 270 |       |     |      |     |      | 462     |
| 265/70-   |             |             | 250 |       |     |      |     |      | 429     |
| 265/75-   |             |             | 255 |       |     |      |     | 81   | 435     |
| 275/50-   |             |             |     |       |     |      |     |      | 447     |
| 275/55-   |             |             |     |       |     |      |     |      | 451     |
| 275/60-   |             |             | 245 |       |     |      |     |      |         |
| 275/65-   |             |             |     |       |     |      |     | *82  |         |
| 275/70-   |             |             | 247 |       |     | 590  | 80  | 80   | 435     |
| 285/50-   |             |             |     |       |     |      | 81  | 81   | 435     |
| 285/70-   |             |             | 255 |       |     |      | 81  | 81   | 441     |
| 295/50-   |             |             | 268 |       |     |      |     | 82   | 447     |
| 295/70-   |             |             | 267 |       |     |      |     |      | 468     |
| 310/70-   |             |             | 267 |       |     |      |     |      | 451     |
| 315/75-   |             |             |     |       |     |      |     |      | 474     |
| 355/65-   |             |             |     |       |     |      |     |      | 480     |
| 6.40-15   |             |             | 210 |       |     |      |     |      |         |
| 6.5/6.7   |             |             | 230 |       |     |      |     | 75   | 143     |
| 7.0/7.1   |             |             | 240 |       | 77  |      | 77  | 77   | 143     |
| 7.50-15   |             |             | 247 |       |     |      | 80  | 79   | 435     |
| 8.25-15   |             |             | 270 |       |     |      |     |      | 462     |
| 9.0/9.1   |             | 250         |     |       |     |      |     | 429  |         |
| 10.00 -   |             | 255         |     |       |     |      | 81  | 435  |         |
| 11.00 -   |             |             |     |       |     |      |     | 447  |         |
| 12.00 -   |             |             |     |       |     |      |     | 451  |         |
| 28x9-     |             | 245         |     |       |     |      |     |      |         |
| 28x12-    |             |             |     |       |     |      | *82 |      |         |
| 30x       |             | 247         |     |       | 590 | 80   | 80  | 435  |         |
| 30x10.    |             |             |     |       |     | 81   | 81  | 435  |         |
| 31x10.    |             | 255         |     |       |     | 81   | 81  | 441  |         |
| 31x11.    |             | 268         |     |       |     |      | 82  | 447  |         |
| 32x11.    |             | 267         |     |       |     |      |     | 468  |         |
| 33x10.    |             | 267         |     |       |     |      |     | 451  |         |
| 33x12.    |             |             |     |       |     |      |     | 474  |         |
| 33x13.    |             |             |     |       |     |      |     | 480  |         |
| 35x12.    |             |             |     |       |     |      |     | 486  |         |
| 36x12.    |             |             |     |       |     |      |     | 492  |         |
| 36x15.    |             |             |     |       |     |      |     | 480  |         |
| 175/55-   | 16          |             |     |       |     |      |     | 119  |         |
| 175/60-   |             |             | 64  | 64    |     |      |     | 123  |         |
| 175/75-   |             | 220         |     | 73    |     | 73   | 73  | 131  |         |
| 175/80-   |             | 220         |     |       |     | 74   | 73  | 131  |         |

| TYRE SIZE | WHEEL - RIM | SNOW DRIVER |     | PEWAG |      |      |     | SUPER N |      |
|-----------|-------------|-------------|-----|-------|------|------|-----|---------|------|
|           |             | KN          | RV  | XMR   | RS   | SNOX | RSV |         | XMRV |
| 175-16    | 16          |             | 220 |       |      |      |     |         | 131  |
| 185/50-   |             | 60          |     |       | 64   | 520  |     |         | 119  |
| 185/55-   |             |             |     |       | 67   | 520  | 67  |         | 123  |
| 185/60-   |             | 70          |     |       | 67   | 530  | 67  |         | 127  |
| 185/65-   |             |             |     |       | 73   | 69   | 530 | 69      | 129  |
| 185/75-   |             |             | 225 | 74    | 74   | 550  | 74  | 74      | 135  |
| 185/80-   |             |             |     |       | 75   |      |     | 75      |      |
| 185-16    |             |             | 230 |       |      |      |     |         | 143  |
| 195/45-   |             | 60          |     |       | 64   | 64   | 510 |         | 119  |
| 195/50-   |             | 70          |     |       | 67   | 67   | 520 | 67      | 123  |
| 195/55-   |             | 70          |     |       | 69   | 68   | 530 | 68      | 129  |
| 195/60-   |             | 70          |     |       | 69   | 69   |     | 69      | 129  |
| 195/65-   |             | 90          | 220 | 73    | 73   | 550  | 73  | 73      | 129  |
| 195/70-   |             |             |     |       | 75   |      |     | 75      | 74   |
| 195/75-   |             |             | 230 |       | 75   |      |     | 75      | 74   |
| 195/80-   |             |             |     |       | 76   |      |     | 76      | 75   |
| 195/85-   |             |             |     |       | 77   | 70pv |     | 77      | 77   |
| 195-16    |             |             | 230 |       |      |      |     |         | 143  |
| 205/45-   |             | 65          |     |       | 67   | 64   | 520 |         | 123  |
| 205/50-   |             | 70          |     |       | 69   | 68   | 530 | 68      | 127  |
| 205/55-   |             | 80          |     |       | 70   | 73   |     | 73      | 131  |
| 205/60-   |             | 90          |     |       | 73   | 74   | 550 | 74      | 131  |
| 205/65-   |             | 95          | 225 | 75    | 75   |      |     | 75      | 74   |
| 205/70-   |             |             | 230 | 75    | 75   |      |     | 75      | 75   |
| 205/75-   |             |             | 235 | 76    | 70pv |      |     | 77      | 77   |
| 205/80-   |             |             | 240 | 77    | 570v |      |     | 77      | 77   |
| 205/85-   |             |             | 240 |       |      |      |     |         | 429  |
| 205-16    |             |             | 240 |       |      |      |     |         | 143  |
| 215/40-   |             | 65          |     |       | 64   | 520  |     |         | 123  |
| 215/45-   |             |             |     |       | 67   | 530  | 67  |         | 123  |
| 215/50-   |             | 80          |     |       | 69   | 73   |     | 73      | 131  |
| 215/55-   |             | 90          |     |       | 73   | 74   | 550 | 74      | 131  |
| 215/60-   |             | 100         | 225 | 75    | 75   |      |     | 75      | 74   |
| 215/65-   |             | 110         | 230 | 77    | 76   |      |     | 76      | 75   |
| 215/70-   |             | 120         | 235 | 77    | 70pv |      |     | 77      | 77   |
| 215/75-   |             |             | 240 |       | 77   | 580  |     | 77      | 77   |
| 215/80-   |             |             | 245 | 79    | 79   | 580  |     | 79      | 79   |
| 215/85-   |             |             | 247 |       |      |      |     | 80      | 80A  |
| 215-16    |             |             | 245 |       |      |      |     |         |      |
| 220/60-   |             |             |     |       | 75   |      |     | 75      | 139  |
| 225/45-   | 90          |             |     | 69    | 69   | 530  | 69  | 133     |      |
| 225/50-   | 95          |             |     | 73    | 74   | 550  | 74  | 131     |      |
| 225/55-   | 110         | 230         | 75  | 75    |      |      | 75  | 137     |      |
| 225/60-   | 120         | 230         | 75  | 76    |      |      | 76  | 139     |      |
| 225/65-   |             | 240         | 76  | 70pv  |      |      | 76  | 76      |      |
| 225/70-   |             | 245         | 79  | 79    | 580  |      | 79  | 77      |      |
| 225/75-   |             | 245         | 79  | 79    | 580  |      | 80  | 79      |      |
| 235/50-   | 100         |             |     | 75    | 75   |      | 75  | 137     |      |
| 235/55-   | 110         | 230         |     |       |      |      |     | 139     |      |
| 235/60-   | 120         | 235         | 77  | 77    | 570p |      | 77  | 77      |      |
| 235/65-   |             | 245         |     |       | 580  |      | 79  | 79      |      |
| 235/70-   |             | 247         |     | 79    | 580  |      | 79  | 79      |      |
| 235/75-   |             |             |     |       |      |      | 80  | 80      |      |
| 235/80-   |             | 250         |     |       |      |      | 81  | 81      |      |
| 235/85-   |             | 260         |     |       |      |      | 81A | 81      |      |
| 245/45-   | 100         |             |     | 73    | 74   | 550  | 74  | 131     |      |
| 245/50-   |             | 230         | 75  | 76    |      |      | 76  | 139     |      |
| 245/55-   | 130         |             |     | 77    | 77   | 70pv | 77  |         |      |
| 245/60-   |             | 245         |     |       |      |      | 79  | 79      |      |
| 245/65-   |             |             |     |       |      |      |     | 143     |      |
| 245/70-   |             | 245         |     |       | 590  |      | 80  | 80      |      |
| 245/75-   |             | 250         |     |       | 590  |      | 81  | 81      |      |
| 245/80-   |             |             |     |       |      |      | 81A | 82      |      |
| 255/45-   |             |             |     |       |      |      |     | 135     |      |
| 255/50-   | 130         | 235         | 77  | 77    | 70pv |      | 77  | 143     |      |
| 255/55-   |             | 240         |     |       |      |      | 79  | 143     |      |
| 255/60-   |             |             |     | 79    |      |      | 79  | 143     |      |
| 255/65-   |             | 247         |     |       | 590  |      | 80  | 80      |      |

| TYRE SIZE | WHEEL - RIM | SNOW DRIVER |     | PEWAG |    |      |      | SUPER N |      |     |     |     |
|-----------|-------------|-------------|-----|-------|----|------|------|---------|------|-----|-----|-----|
|           |             | KN          | RV  | XMR   | RS | SNOX | RSV  |         | XMRV | SZ  |     |     |
| 255/70-   | 16          |             | 250 |       |    |      |      | 81      | 81   | 435 |     |     |
| 255/80/   |             |             |     |       |    |      |      |         |      | 462 |     |     |
| 265/50-   |             |             | 240 |       |    |      |      |         |      | 143 |     |     |
| 265/60-   |             |             |     |       |    |      |      |         |      | 429 |     |     |
| 265/65-   |             |             |     |       |    |      |      |         | 81   | 80  | 435 |     |
| 265/70-   |             |             | 255 |       |    |      |      |         | 81A  | 81  | 441 |     |
| 265/75-   |             |             | 265 |       |    |      |      |         | 82   | 82  | 447 |     |
| 265/85-   |             |             |     |       |    |      |      |         |      |     | 468 |     |
| 275/60/   |             |             |     |       |    |      |      |         |      |     | 441 |     |
| 275/70-   |             |             | 265 |       |    |      |      |         | 82   | 82  | 447 |     |
| 275/75-   |             |             |     |       |    |      |      |         |      |     | 447 |     |
| 280/70-   |             |             | 265 |       |    |      |      |         |      |     |     |     |
| 285/60-   |             |             |     |       |    |      |      |         |      |     | 435 |     |
| 285/65-   |             |             | 267 |       |    |      |      |         |      | 82  | 447 |     |
| 285/70-   |             |             |     |       |    |      |      |         |      |     | 451 |     |
| 285/75-   |             |             |     |       |    |      |      |         |      |     | 462 |     |
| 295/50-   |             |             | 255 |       |    |      |      |         |      |     |     |     |
| 295/75    |             |             |     |       |    |      |      |         |      |     | 468 |     |
| 305/55-   |             |             |     |       |    |      |      |         |      |     | 441 |     |
| 305/70-   |             |             |     |       |    |      |      |         |      |     | 462 |     |
| 305/85    |             |             |     |       |    |      |      |         |      |     | 497 |     |
| 315/70-   |             |             |     |       |    |      |      |         |      |     | 451 |     |
| 325/80-   |             |             |     |       |    |      |      |         |      |     | 492 |     |
| 6.0/6.4   |             |             | 230 |       |    | 75   |      |         | 75   | 75  | 123 |     |
| 6.50-16   |             |             | 240 |       |    | 76   |      |         | 76   | 77  | 429 |     |
| 7.00-16   |             |             | 240 |       |    |      |      |         | 80   | 80  | 429 |     |
| 7.50-16   |             |             | 247 |       |    |      |      |         | 80A  | 80A | 441 |     |
| 8.25-16   |             |             | 270 |       |    |      |      |         |      |     |     |     |
| 9.00-16   |             |             |     |       |    |      |      |         |      |     | 468 |     |
| 33x12.    |             |             |     |       |    |      |      |         |      |     | 474 |     |
|           |             |             |     |       |    |      |      |         |      |     |     |     |
| 8.00-     |             | 16.5        |     | 230   |    |      |      |         |      |     | 143 |     |
| 12-16.5   |             |             |     |       |    |      |      |         |      |     |     | 451 |
| 31x10.    |             |             |     |       |    |      |      |         |      |     |     | 441 |
| 31x11.    |             |             |     |       |    |      |      |         |      |     |     | 447 |
| 33x12.    |             |             |     |       |    |      |      |         |      |     |     | 474 |
| 36x12.    |             |             |     |       |    |      |      |         |      |     |     | 492 |
|           |             |             |     |       |    |      |      |         |      |     |     |     |
| 185/50-   |             | 17          |     |       |    |      |      |         | 67   |     | 67  |     |
| 195/55-   |             |             |     |       |    |      |      |         |      | 73  |     |     |
| 205/40-   |             |             | 70  |       |    | 67   | 530  | 67      |      |     | 123 |     |
| 205/45-   |             |             | 80  |       | 69 | 68   | 530  | 68      |      |     | 127 |     |
| 205/50-   |             |             | 90  |       | 73 | 73   |      | 73      |      |     | 131 |     |
| 205/55-   |             |             | 100 |       |    | 74   | 550  | 74      |      |     | 131 |     |
| 205/60-   |             |             |     |       |    | 75   | 550  |         |      |     |     |     |
| 205/65-   |             |             |     |       |    | 76   |      |         | 76   |     |     |     |
| 215/40-   |             |             | 70  |       | 69 | 68   | 530  | 68      |      |     | 127 |     |
| 215/45-   |             |             | 80  |       | 69 | 69   |      | 69      |      |     | 131 |     |
| 215/50-   |             |             | 90  |       | 73 | 74   | 550  | 74      |      |     | 133 |     |
| 215/55-   |             |             | 110 | 225   | 75 | 75   |      | 75      |      |     | 137 |     |
| 215/60-   |             |             | 120 | 235   | 77 | 76   |      | 76      | 76   | 76  | 139 |     |
| 215/65-   |             |             |     |       |    | 77   | 570v | 77      | 77   |     | 139 |     |
| 215/70-   |             |             | 245 |       |    |      |      |         |      |     | 429 |     |
| 215/80-   |             |             |     |       |    |      |      |         |      |     | 435 |     |
| 220/60-   |             |             |     |       |    |      |      |         |      |     | 135 |     |
| 225/40-   |             |             |     |       |    | 69   |      |         | 69   |     | 133 |     |
| 225/45-   |             |             | 90  |       | 73 | 74   | 550  | 74      |      |     | 129 |     |
| 225/50-   |             |             | 110 |       | 75 | 75   |      | 75      |      |     | 137 |     |
| 225/55-   |             |             | 110 | 235   | 77 | 76   |      | 76      | 76   | 75  | 139 |     |
| 225/60-   |             |             | 120 | 235   | 77 | 77   | 70pv | 77      |      |     | 143 |     |
| 225/65-   |             |             | 130 | 240   |    | 79   | 580  | 79      | 79   |     | 143 |     |
| 225/70-   |             |             |     | 245   |    |      | 580  |         | 79   | 80  | 429 |     |
| 225/75-   |             |             |     |       |    |      |      |         |      |     | 429 |     |
| 235/40-   |             |             | 90  |       | 73 | 74   |      |         |      |     | 133 |     |
| 235/45-   |             |             | 110 |       | 75 | 75   | 550  | 74      |      |     | 137 |     |
| 235/50-   |             | 110         | 235 | 77    | 76 |      | 76   | 75      |      | 139 |     |     |
| 235/55-   |             | 120         | 235 | 77    | 77 | 70pv | 77   |         |      | 143 |     |     |
| 235/60-   |             | 130         | 240 |       | 79 | 580  | 79   | 79      |      | 143 |     |     |
| 235/65-   |             |             | 245 |       |    | 580  |      | 79      | 80   | 429 |     |     |
| 235/70-   |             |             |     |       |    |      |      |         |      | 429 |     |     |
| 235/75-   |             |             |     |       |    |      |      |         |      | 429 |     |     |
| 235/80-   |             |             |     |       |    |      |      |         |      | 429 |     |     |
| 235/85-   |             |             |     |       |    |      |      |         |      | 429 |     |     |
| 235/90-   |             |             |     |       |    |      |      |         |      | 429 |     |     |
| 235/95-   |             |             |     |       |    |      |      |         |      | 429 |     |     |

| TYRE SIZE | WHEEL - RIM | SNOW DRIVER |     | PEWAG |    |      |      | SUPER N |      |     |
|-----------|-------------|-------------|-----|-------|----|------|------|---------|------|-----|
|           |             | KN          | RV  | XMR   | RS | SNOX | RSV  |         | XMRV | SZ  |
| 235/55-   | 17          | 130         | 240 |       | 77 | 570p | 77   |         | 143  |     |
| 235/60-   |             |             | 245 |       |    | 580  | 79   | 79      | 143  |     |
| 235/65-   |             |             | 245 |       | 80 |      | 80   |         | 429  |     |
| 235/70-   |             |             | 247 |       |    |      | 80A  | 80A     | 435  |     |
| 235/75-   |             |             |     |       |    |      |      |         | 435  |     |
| 235/80-   |             |             |     |       |    |      |      |         | 447  |     |
| 235/85-   |             |             |     |       |    |      |      |         | 441  |     |
| 245/40-   |             |             | 110 |       |    | 74   | 550  | 74      | 131  |     |
| 245/45-   |             |             | 120 |       | 77 | 76   |      | 76      | 137  |     |
| 245/50-   |             |             | 130 | 235   |    | 77   |      | 77      | 139  |     |
| 245/55-   |             |             |     |       | 79 | 79   | 580  | 79      | 143  |     |
| 245/60-   |             |             |     | 247   |    |      |      |         | 429  |     |
| 245/65-   |             |             |     | 247   |    |      | 590  | 80A     | 80   | 435 |
| 245/70-   |             |             |     | 255   |    |      |      | 81A     |      | 435 |
| 245/75-   |             |             |     | 265   |    |      |      | 81A     | 81   | 441 |
| 255/40-   |             |             | 120 |       | 75 | 75   |      | 75      |      | 137 |
| 255/45-   |             |             | 130 |       | 77 | 76   | 70pv | 76      |      | 139 |
| 255/50-   |             |             |     | 240   |    |      | 580  | 79      | 79   | 143 |
| 255/55-   |             |             |     | 247   |    | 79   |      | 79      |      | 143 |
| 255/60-   |             |             |     | 255   |    |      | 590  | 80A     | 80A  | 435 |
| 255/65-   |             |             |     | 255   |    |      |      | 81A     | 80A  | 441 |
| 255/70-   |             |             |     |       |    |      |      | 81A     |      | 447 |
| 255/75-   |             |             |     |       |    |      |      |         |      | 451 |
| 265/40-   |             |             | 120 |       |    | 76   | 70pv | 76      |      | 139 |
| 265/60-   |             |             |     |       |    |      |      |         |      | 435 |
| 265/65-   |             |             |     | 255   |    |      |      | 81A     | 81   | 441 |
| 265/70-   |             |             |     | 265   |    |      |      | 82      | 82   | 447 |
| 265/75-   |             |             |     |       |    |      |      |         |      | 451 |
| 275/40-   |             |             | 130 |       |    |      |      |         |      | 143 |
| 275/45-   |             |             |     | 247   |    |      |      |         |      |     |
| 275/50-   |             |             |     | 247   |    |      |      |         |      | 435 |
| 275/55-   |             |             |     | 255   |    |      |      | 81      | 80A  | 441 |
| 275/60-   |             |             |     | 265   |    |      |      | 81A     | 81   | 441 |
| 275/65-   |             |             |     | 267   |    |      |      | 82      |      | 447 |
| 275/70-   |             |             |     |       |    |      |      |         |      | 447 |
| 275/75-   |             |             |     |       |    |      |      |         |      | 462 |
| 285/40-   |             |             |     | 240   |    |      |      |         |      | 139 |
| 285/60-   |             |             |     | 267   |    |      |      |         |      | 447 |
| 285/65-   |             |             |     | 267   |    |      |      |         |      | 462 |
| 285/70-   |             |             |     | 270   |    |      |      |         |      | 462 |
| 285/75-   |             |             |     |       |    |      |      |         |      | 468 |
| 295/40-   |             |             |     | 247   |    |      |      |         |      |     |
| 295/70-   |             |             |     |       |    |      |      |         |      | 474 |
| 295/75-   |             |             |     |       |    |      |      |         |      | 468 |
| 305/65-   |             |             |     |       |    |      |      |         |      | 474 |
| 305/75-   |             |             |     |       |    |      |      |         |      | 492 |
| 315/70-   |             |             |     |       |    |      |      |         | 486  |     |
| 345/55-   |             |             |     |       |    |      |      |         | 451  |     |
| 6.50-17   |             |             | 245 |       |    |      |      |         |      |     |
| 7.00-17   |             |             |     |       |    |      |      |         | 441  |     |
| 7.50-17   |             |             |     |       |    |      |      |         | 451  |     |
| 8.25-17   |             |             |     |       |    |      |      |         | 429  |     |
| 33x12.    |             |             |     |       |    |      |      |         | 474  |     |
| 37x12.    |             |             |     |       |    |      |      |         | 492  |     |
|           |             |             |     |       |    |      |      |         |      |     |
|           |             |             |     |       |    |      |      |         |      |     |
|           |             |             |     |       |    |      |      |         |      |     |
|           |             |             |     |       |    |      |      |         |      |     |
| 205/65-   | 17.5        |             | 240 |       | 76 |      | 76   | 76      | 143  |     |
| 205/70-   |             |             |     |       | 77 |      | 77   | 79      |      |     |
| 205/75-   |             |             |     | 247   |    | 580  | 79   | 79      | 429  |     |
| 215/75-   |             |             |     | 247   |    |      | 80   | 81      | 429  |     |
| 225/55-   |             |             |     |       | 76 |      | 76   | 77      |      |     |
| 225/75-   |             |             |     | 260   |    |      | 80A  | 81      | 435  |     |
| 235/70-   |             |             |     |       |    |      |      |         | 435  |     |
| 235/75-   |             |             |     | 270   |    |      | 81A  | 82      | 441  |     |
| 245/70-   |             |             |     | 270   |    |      |      | 82      | 441  |     |
| 245/75-   |             |             |     |       |    |      |      |         | 441  |     |
| 295/75-   |             |             |     |       |    |      |      |         | 492  |     |

| TYRE SIZE | WHEEL - RIM | SNOW DRIVER |     | PEWAG |     |      |      | SUPER N |      |     |     |
|-----------|-------------|-------------|-----|-------|-----|------|------|---------|------|-----|-----|
|           |             | KN          | RV  | XMR   | RS  | SNOX | RSV  |         | XMRV | SZ  |     |
| 355/45-   | 17.5        |             |     |       |     |      |      |         | 441  |     |     |
| 7-17.5    |             |             | 240 |       |     |      |      |         | 143  |     |     |
| 8-17.5    |             |             |     | 247   |     |      |      | 80      | 80   | 435 |     |
| 8.5-      |             |             |     | 260   |     |      |      | 81      | 81   | 435 |     |
| 9.5-      |             |             |     | 270   |     |      |      |         |      | 468 |     |
|           |             |             |     |       |     |      |      |         |      |     |     |
|           |             |             |     |       |     |      |      |         |      |     |     |
|           |             |             |     |       |     |      |      |         |      |     |     |
|           |             |             |     |       |     |      |      |         |      |     |     |
|           |             |             |     |       |     |      |      |         |      |     |     |
| 185/60-   | 18          |             |     |       |     |      |      |         | 131  |     |     |
| 205/40-   |             |             |     |       |     | 68   |      | 68      |      | 127 |     |
| 205/55-   |             |             |     | 225   |     |      |      |         |      | 139 |     |
| 215/40-   |             |             |     | 95    |     |      |      |         |      | 131 |     |
| 215/45-   |             |             |     | 90    |     | 74   | 550  | 74      |      | 131 |     |
| 215/50-   |             |             |     |       |     | 75   |      |         |      |     |     |
| 215/55-   |             |             | 120 | 235   |     | 76   |      | 76      |      | 139 |     |
| 215/75-   |             |             |     | 247   |     |      |      |         |      |     |     |
| 225/35-   |             |             |     |       |     |      |      |         |      | 133 |     |
| 225/40-   |             |             |     | 95    |     | 73   | 74   | 550     | 74   | 133 |     |
| 225/45-   |             |             |     | 100   |     |      | 75   |         | 75   | 139 |     |
| 225/50-   |             |             |     |       |     |      | 77   |         | 77   | 139 |     |
| 225/55-   |             |             |     | 240   |     |      | 77   | 70pv    | 77   | 143 |     |
| 225/60-   |             |             | 130 | 245   |     | 79   | 79   |         | 79   | 429 |     |
| 225/65-   |             |             |     | 245   |     |      |      |         | 80   | 435 |     |
| 225/70-   |             |             |     |       |     |      |      |         |      | 82  | 435 |
| 235/35-   |             |             |     |       |     |      |      |         |      | 133 |     |
| 235/40-   |             |             |     | 110   |     | 75   | 75   |         | 75   | 137 |     |
| 235/45-   |             |             |     | 120   |     | 77   | 76   | 570p    | 76   | 139 |     |
| 235/50-   |             |             |     | 130   | 235 |      | 77   | 580     | 77   | 143 |     |
| 235/55-   |             |             |     | 245   |     | 79   | 79   | 580     | 79   | 79  | 429 |
| 235/60-   |             |             |     | 245   |     |      | 80   |         | 80A  | 80  | 429 |
| 235/65-   |             |             |     | 247   |     |      |      | 590     | 80A  | 80  | 435 |
| 235/70-   |             |             |     |       |     |      |      |         |      | 441 |     |
| 245/35-   |             |             |     |       |     |      |      |         |      | 131 |     |
| 245/40-   |             |             |     | 120   |     |      | 76   |         | 76   | 139 |     |
| 245/45-   |             |             |     | 120   | 235 |      | 77   | 77      | 570p | 77  | 143 |
| 245/50-   |             |             |     |       |     | 79   | 79   | 580     | 79   | 143 |     |
| 245/55-   |             |             |     |       |     |      |      |         |      | 429 |     |
| 245/60-   |             |             |     | 247   |     |      | 80   |         | 80   | 80  | 435 |
| 245/70-   |             |             |     |       |     |      |      |         |      | 447 |     |
| 245/75-   |             |             |     |       |     |      |      |         |      | 451 |     |
| 255/35-   |             |             |     | 120   |     |      | 75   |         | 75   | 135 |     |
| 255/40-   |             |             |     | 130   |     | 77   | 77   | 570p    | 77   | 143 |     |
| 255/45-   |             |             | 130 | 240   |     | 77   |      | 77      | 143  |     |     |
| 255/50-   |             |             |     | 247   |     |      |      |         | 143  |     |     |
| 255/55-   |             |             |     | 250   |     |      | 590  | 81      | 80A  | 143 |     |
| 255/60-   |             |             |     | 255   |     |      | 590  | 81A     | 81   | 441 |     |
| 255/65-   |             |             |     |       |     |      |      |         | 441  |     |     |
| 255/70-   |             |             |     |       |     |      |      |         | 82   | 447 |     |
| 265/35-   |             |             | 120 |       |     | 76   | 70pv | 76      | 139  |     |     |
| 265/40-   |             |             |     |       |     |      |      |         | 143  |     |     |
| 265/45-   |             |             |     |       |     | 79   |      | 79      | 429  |     |     |
| 265/55-   |             |             |     |       |     |      |      |         | 435  |     |     |
| 265/60-   |             |             |     | 255   |     |      |      | 82      | 81   | 441 |     |
| 265/65-   |             |             |     | 260   |     |      |      | 82      | 447  |     |     |
| 265/70    |             |             |     |       |     |      |      |         | 451  |     |     |
| 265/75-   |             |             |     |       |     |      |      |         | 468  |     |     |
| 275/35-   |             |             | 130 |       |     |      |      |         | 143  |     |     |
| 275/45-   |             |             |     | 247   |     | 80   |      | 80      |      |     |     |
| 275/50-   |             |             |     | 260   |     |      |      |         |      |     |     |
| 275/55-   |             |             |     |       |     |      |      |         | 441  |     |     |
| 275/60-   |             |             |     | 267   |     |      |      | 82      | 82   | 447 |     |
| 275/65-   |             |             |     |       |     |      |      |         | 451  |     |     |
| 275/70-   |             |             |     |       |     |      |      |         | 462  |     |     |
| 275/75-   |             |             |     |       |     |      |      |         | 474  |     |     |
| 285/35-   |             |             |     |       |     |      |      |         | 139  |     |     |
| 285/40-   |             |             |     | 247   |     |      |      |         | 143  |     |     |
| 285/45-   |             |             |     | 255   |     |      |      |         | 435  |     |     |
| 285/50-   |             |             |     | 255   |     |      |      | 81A     | 435  |     |     |

| TYRE SIZE | WHEEL - RIM | SNOW DRIVER |     | PEWAG |    |      |     |      | SUPER N SZ |     |
|-----------|-------------|-------------|-----|-------|----|------|-----|------|------------|-----|
|           |             | KN          | RV  | XMR   | RS | SNOX | RSV | XMRV |            |     |
| 285/55-   | 18          |             | 267 |       |    |      |     | 82   | 447        |     |
| 285/60-   |             |             | 265 |       |    |      |     |      | 451        |     |
| 285/65/   |             |             |     |       |    |      |     |      | 468        |     |
| 285/75-   |             |             |     |       |    |      |     |      | 492        |     |
| 295/40-   |             |             |     | 247   |    |      |     |      |            |     |
| 295/45-   |             |             |     | 265   |    |      |     |      | 435        |     |
| 295/60-   |             |             |     |       |    |      |     |      | 451        |     |
| 295/75-   |             |             |     |       |    |      |     |      | 486        |     |
| 305/55-   |             |             |     |       |    |      |     |      | 447        |     |
| 305/60-   |             |             |     |       |    |      |     |      | 474        |     |
| 325/60-   |             |             |     |       |    |      |     |      | 486        |     |
| 335/30-   |             |             |     |       |    |      |     |      | 139        |     |
| 7.0/7.5   |             |             |     | 270   |    |      |     |      | 451        |     |
| 33x12.    |             |             |     |       |    |      |     |      | 474        |     |
| 205/55-   |             | 19          |     |       |    | 77   |     |      |            |     |
| 225/35-   |             |             |     |       |    |      |     |      |            | 123 |
| 225/40-   |             |             |     |       |    |      | 75  |      | 75         | 139 |
| 225/45-   |             |             |     |       |    |      | 76  |      | 76         | 139 |
| 225/55-   |             |             |     | 245   | 79 | 79   |     | 79   | 429        |     |
| 225/60-   |             |             |     |       |    |      |     |      | 435        |     |
| 235/35-   |             |             |     |       |    |      |     |      | 137        |     |
| 235/40-   |             |             |     | 235   |    | 77   |     | 77   | 139        |     |
| 235/45-   |             |             |     | 235   |    | 77   |     | 77   | 143        |     |
| 235/50-   |             |             |     | 245   | 79 | 79   |     | 79   | 429        |     |
| 235/55-   |             |             |     | 247   |    |      |     | 80A  | 80         | 429 |
| 235/65-   |             |             |     |       |    |      |     | 81A  | 81         | 441 |
| 245/35-   |             |             |     | 100   |    | 76   |     |      |            | 139 |
| 245/40-   |             |             |     | 130   |    | 77   |     | 77   |            | 139 |
| 245/45-   |             |             |     | 245   |    |      |     | 79   |            | 143 |
| 245/50-   |             |             |     | 247   |    |      |     |      |            | 429 |
| 245/55-   |             |             |     | 247   |    |      |     |      |            | 435 |
| 255/30-   |             |             |     |       |    |      |     |      |            | 135 |
| 255/35-   |             |             |     |       |    | 76   |     |      |            | 143 |
| 255/40-   |             |             |     | 240   |    |      | 580 |      |            | 143 |
| 255/45-   |             |             |     | 247   |    |      |     | 80   |            | 143 |
| 255/50-   |             |             |     | 255   |    |      |     | 81   | 80A        | 435 |
| 255/55-   |             |             |     | 265   |    |      |     | 81A  | 81         | 441 |
| 255/60-   |             |             |     |       |    |      |     | 82   | 82         | 441 |
| 265/35-   |             |             |     | 240   |    |      |     |      |            | 143 |
| 265/50-   |             |             |     | 265   |    |      |     |      |            | 441 |
| 265/55-   |             |             |     | 267   |    |      |     | 82   |            | 441 |
| 275/30-   |             |             |     |       |    |      |     |      |            | 143 |
| 275/35-   |             |             |     | 245   |    |      |     |      |            | 143 |
| 275/40-   |             |             |     |       |    |      |     | 80   |            | 435 |
| 275/45-   |             |             |     | 255   |    |      |     | 81   | *81        | 441 |
| 275/50-   |             |             |     |       |    |      |     |      |            | 435 |
| 275/55-   |             |             |     |       |    |      |     |      |            | 447 |
| 285/30-   |             |             |     |       |    |      |     |      | 143        |     |
| 285/35-   |             |             | 247 |       |    |      |     |      | 143        |     |
| 285/45-   |             |             | 265 |       |    |      | 81A | 81   | 435        |     |
| 285/55-   |             |             |     |       |    |      |     |      | 447        |     |
| 285/60-   |             |             |     |       |    |      |     |      | 462        |     |
| 295/35-   |             |             | 247 |       |    |      |     |      | 143        |     |
| 305/30-   |             |             | 247 |       |    |      |     |      |            |     |
| 305/35-   |             |             |     |       |    |      |     |      | 447        |     |
| 215/75-   | 19.5        |             |     |       |    |      |     |      | 447        |     |
| 225/23    |             |             |     |       |    |      |     |      | 441        |     |
| 245/70-   |             |             |     |       |    |      |     |      | 451        |     |
| 245/75-   |             |             |     |       |    |      |     |      | 462        |     |
| 255/70-   |             |             |     |       |    |      |     |      | 462        |     |
| 265/70-   |             |             |     |       |    |      |     |      | 468        |     |
| 265/75-   |             |             |     |       |    |      |     | 497  |            |     |

| TYRE SIZE | WHEEL - RIM | SNOW DRIVER |     | PEWAG |    |      |     |      | SUPER N SZ |     |     |
|-----------|-------------|-------------|-----|-------|----|------|-----|------|------------|-----|-----|
|           |             | KN          | RV  | XMR   | RS | SNOX | RSV | XMRV |            |     |     |
| 285/70-   | 19.5        |             |     |       |    |      |     |      | 486        |     |     |
| 7-19.5    |             |             | 260 |       |    |      |     |      |            |     |     |
| 8-19.5    |             |             |     | 270   |    |      |     |      | 447        |     |     |
| 195/55-   | 20          |             |     |       |    | 77   |     |      |            |     |     |
| 215/55-   |             |             |     |       |    |      |     |      | 435        |     |     |
| 225/30-   |             |             |     |       |    |      |     |      | 131        |     |     |
| 225/40-   |             |             |     |       |    | 77   |     | 77   |            |     |     |
| 225/45-   |             |             |     |       |    |      |     |      | 435        |     |     |
| 225/75-   |             |             |     |       |    |      |     |      | 447        |     |     |
| 235/40-   |             |             |     |       |    |      |     |      | 79         |     |     |
| 235/45-   |             |             |     |       |    |      |     |      | 80A        | 143 |     |
| 235/55-   |             |             |     | 250   |    |      |     |      | 81         | 435 |     |
| 245/35-   |             |             | 120 | 240   |    |      |     |      |            | 139 |     |
| 245/40-   |             |             |     |       |    | 79   |     | 79   |            | 143 |     |
| 245/45-   |             |             |     |       |    | 80   |     |      |            | 429 |     |
| 245/50-   |             |             |     | 250   |    |      |     |      | 81         | 435 |     |
| 245/60-   |             |             |     |       |    |      |     |      | 82         | 441 |     |
| 255/35-   |             |             |     | 240   |    |      |     |      |            | 143 |     |
| 255/40-   |             |             |     |       |    | 80   |     | 80   |            | 429 |     |
| 255/45-   |             |             |     | 247   |    |      |     |      | 80A        | 435 |     |
| 255/50-   |             |             |     | 260   |    |      |     |      | 81A        | 441 |     |
| 255/55-   |             |             |     | 265   |    |      |     |      | 82         | 82  | 447 |
| 255/60-   |             |             |     | 267   |    |      |     |      |            |     |     |
| 265/35-   |             |             |     | 247   |    |      |     |      |            | 143 |     |
| 265/40-   |             |             |     |       |    |      |     |      |            | 429 |     |
| 265/45-   |             |             |     |       |    |      |     |      | 81A        | 441 |     |
| 265/50-   |             |             |     | 265   |    |      |     |      | 81A        | 81  | 447 |
| 265/60-   |             |             |     |       |    |      |     |      |            | 451 |     |
| 265/65-   |             |             |     |       |    |      |     |      |            | 462 |     |
| 275/30-   |             |             |     |       |    | 79   |     |      |            |     |     |
| 275/35-   |             |             |     |       |    | 80   |     |      |            |     |     |
| 275/40-   |             |             |     | 255   |    |      |     |      | 81         | 435 |     |
| 275/45-   |             |             |     | 255   |    |      |     |      | 82         | 441 |     |
| 275/50-   |             |             |     |       |    |      |     |      |            | 447 |     |
| 275/55/   |             |             |     | 267   |    |      |     |      |            | 451 |     |
| 275/65-   |             |             |     |       |    |      |     |      |            | 468 |     |
| 285/30-   |             |             |     |       |    |      |     |      | 143        |     |     |
| 285/35-   |             |             |     |       |    |      |     |      | 435        |     |     |
| 285/40-   |             |             |     |       |    |      |     |      | 441        |     |     |
| 285/45-   |             |             | 265 |       |    |      |     | 82   | 441        |     |     |
| 285/50-   |             |             | 267 |       |    |      |     | 82   | 451        |     |     |
| 285/55/   |             |             |     |       |    |      |     |      | 468        |     |     |
| 285/65    |             |             |     |       |    |      |     |      | 486        |     |     |
| 295/25-   |             |             | 245 |       |    |      |     |      |            |     |     |
| 295/30-   |             |             |     |       |    |      |     |      | 143        |     |     |
| 295/35-   |             |             |     |       |    |      |     |      | 435        |     |     |
| 295/40-   |             |             |     |       |    |      |     | 82   | 435        |     |     |
| 295/45-   |             |             | 267 |       |    |      |     |      | 447        |     |     |
| 295/55/   |             |             |     |       |    |      |     |      | 462        |     |     |
| 305/35-   |             |             | 265 |       |    |      |     |      | 447        |     |     |
| 305/40-   |             |             |     |       |    |      |     |      | 468        |     |     |
| 305/50-   |             |             |     |       |    |      |     |      | 468        |     |     |
| 315/35-   |             |             | 265 |       |    |      |     | 82   | *447       |     |     |
| 325/50-   |             |             |     |       |    |      |     |      | 451        |     |     |
| 325/60-   |             |             |     |       |    |      |     |      | 492        |     |     |
| 6.50/7.   |             |             | 270 |       |    |      |     |      | 497        |     |     |
| 10.00-    |             |             |     |       |    |      |     | ZT   | 881        |     |     |
| 33x12.    |             |             | 270 |       |    |      |     |      | 474        |     |     |
| 245/35-   | 21          |             | 245 |       |    |      |     |      | 143        |     |     |
| 245/40-   |             |             |     |       |    |      |     |      | 80         |     |     |
| 255/35-   |             |             |     | 247   |    |      |     |      |            |     |     |
| 255/40-   |             |             |     | 250   |    |      |     |      | 81         | 435 |     |

